

KERMI

TREND SETTING DESIGN WITH FLAIR



We make comfort and convenience visibly attractive.
With the security of a strong brand.



Comfort and freshness. Kermi provides both in a unique competent way. With the know-how of more than 50 years of experience. As a company in the AFG Arbonia-Forster-Holding AG with its headquarters in Lower Bavaria, Kermi is among the leading European manufacturers for heating technology and shower enclosures. With a highly qualified staff of approximately 1300, the most modern technology and trend setting design solutions. "High Quality. Made in Germany".
For a comfortable home.




To satisfy the highest standards for warmth in bathing and living areas requires not only a sense of visual harmony, but also a high level of convenience and native functionality. To achieve this, Kermi has created a line of design radiators that is unique worldwide. Focused throughout on the specific requirements for bathing and living areas. And your individual preference. Essentially distinctive in terms of variety, shape and colour, in heating efficiency, in ease of use and additional functions.





WHY YOU CAN EXPECT MORE FROM US.





HEATING SOLUTIONS FOR BATHING AREAS
THAT MEET YOUR INDIVIDUAL REQUIREMENTS.



**Creative radiator design
for today's bathing environment.**

Kermi's design radiators give you the freedom to create a heating system for your bathing area that reflects your own personal philosophy. Whether in the spare, geometric appearance of trend setting ceramic bathroom fixtures, irresistibly vibrant, unmistakably extravagant or just simply classic. In addition to its award-winning designs and careful craftsmanship, Kermi offers intelligent convenience as well. From functional accessories to easy placement of towels from the side and all-electric option or additional electric operation.

JIVE. Irresistibly vibrant and extremely forceful. Single or multi layer, depending on the heating requirements. Curved tube also available in chrome. With built-in valve. Version for additional electric operation. Jive-E for all-electric operation.




Heights 1500, 1800 mm
Lengths 500, 600 mm
Depths 140 mm







IDEOS. Unique heating design based on simple principles. In standard version or with valve. Version for additional electric operation. Ideos-E for all-electric operation.



Heights (standard version)
776, 1151, 1526, 1901 mm
Heights (valve version)
758, 1133, 1508, 1883 mm
Lengths 508, 758 mm
Depth 37 mm

Aesthetic heating for an individual style of living.
Distinctive and unique flair.



The high-quality standard at Kermi is especially conspicuous in the quality of the design too. In cooperation with the creativity of expert designers, styles that redefine heating design and showering comfort have their origin in the Kermi product development department. Design to the pulse of the times. Exceptional, individual and unique. It is not by chance that Kermi products have been honoured by major awards for design again and again. And if you wish, also in your choice of colour. Thanks to the innovative Kermi colour concept.



HEAT AS A VISUAL EXPERIENCE.



reddot design award
winner 2005



product
design
award

2006/2010

DESIGN PLUS



CREDO-DUO. Heating design with double output particularly for high heat requirements. With integrated valve. Version for additional electric operation.



Heights 1091, 1471, 1889 mm
Lengths 471, 621, 771 mm
Depth 81 mm

CREDO-HALF. Asymmetric aesthetics. Honoured with two awards. Exceptionally convenient. Cross tubes also available in chrome. Version for additional electric operation. Credo-Half-E for all-electric operation.

Heights 1086, 1466, 1884 mm
Lengths 460, 610 mm
Depth 51 mm







MUCH MORE THAN JUST HEAT.

The Kermi accessory programme.
For individual heating with
convenient additional functionality.



Thanks to the range of accessories, Kermi design radiators become multifunction objects. Hooks, brackets, shelves, lights shine with high-grade surfaces and simply make life easier. With high quality and toughness in equal measure and a visually appealing appearance matched exactly to the radiator design. Elegant integration of convenient additional functionality. Kermi accessories allow you to make your modern heating systems even more decorative in bathing and living areas.





ICARO. Dynamic and with a lightness that creates new momentum. With integrated valve. Also available in chrome. Version for additional electric operation. Icaro-E for all-electric operation.

Heights 1446, 1866 mm
Lengths 400, 600 mm
Depth 58 mm

**Additional electric operation or all-electric operation.
For independent heat at any time of the year.**



Many Kermi design radiator models offer additional electric operation as an option. For pleasant warmth in the transitional season and for towels that are always nicely dry and comfortably warm. There are also models for all-electric operation that make you independent of the central heating system. Equipped in either case with the latest, user-friendly controls and featuring a choice of two different convenience levels. Depending on your needs and requirements, with manual thermostatic control or infrared remote controller.



PLEASANT HEAT WHENEVER NEEDED.





CREDO. Heating design in its purest form.
Credo with fully concealed connections on the side.
Credo-V with integrated valve. Version for additional electric operation.
Credo-E for all-electric operation.

Heights Credo
1094, 1474, 1892 mm
Heights Credo-V
1091, 1471, 1889 mm
Lengths 471, 621, 771 mm
Depth 35 mm



CREDO-UNO. With the best grades for design and price/performance ratio. In standard version or with valve. Version for additional electric operation. Credo-Uno-E for all-electric operation. Also available in chrome.




Heights
789, 1169, 1473, 1777 mm
Lengths 490, 640, 790 mm
Depth Credo-Uno 35 mm
Depth Credo-Uno-V 41 mm





Heights
804, 1172, 1448, 1770 mm
Lengths
450, 524, 599, 749 mm
Depth 35 mm




Basic-50 in straight version

BASIC-50. Straight line appearance, favourable in price. Centre or side connection possible. Also available in chrome. Version for additional electric operation. Basic-E for all-electric operation.

BASIC-50 R. The dynamic, gently curved version. Centre or side connection possible. Also available in chrome. Version for additional electric operation. Basic R-E for all-electric operation.

Heights
804, 1172, 1448, 1770 mm
Lengths
450, 599, 749 mm
Depths 51, 60, 70 mm



Basic-50 R in curved version





B24-S in straight version



B24. Modern, individual bathroom heating - very economical.

Vertical D-shaped tube profile and gently curved or straight cross tubes. Ideal tube spacing for easy towel placement. Also available in chrome.




B24-S (straight version)

Heights 805, 1173,
1495, 1771 mm

Lengths 440, 490,
540, 590, 740 mm

Depth 32 mm



B24-R in curved version



B24-R (curved version)
Heights 805, 1173,
1495, 1771 mm
Lengths 440, 490,
540, 590, 740 mm
Depths 49, 55, 55, 58, 68 mm



AESTHETICALLY PLEASING HEATING ACCENTS
YOUR LIVING AREAS



Unmistakable design.
Trend setting in style, quality and functionality.

The Kermi design radiator programme. An excellent basis, for systematically expressing your own personal lifestyle. Through extravagant design or straight-line simplicity, choice materials and unrivaled workmanship. Various colour combinations provide the freedom for personal accents. Outstanding aesthetics are complemented by intelligent convenience. With a selection of accessories equally appealing in terms of appearance and functionality.

KAROTHERM. Creative heating in a quadratic format. Honoured with multiple awards. In a vertical or horizontal orientation and also square. Version for additional electric operation. Karotherm-E for all-electric operation.





Heights 499 - 1964 mm
 Lengths 433 - 1298 mm
 Depth 22 mm





FEDON. Innovative warmth that sets a personal accent. With fully concealed fixing and connection systems as well as integrated thermostatic controller. Accessory channel allows placement of high-quality accessories in any position desired.




Heights
1048, 1648, 1948 mm
Lengths 510, 691 mm
Depth 50 mm





**Kermi - highest quality
for more than 50 years.**



At Kermi highest quality has absolute priority. Kermi sets a high standard of quality beginning with product development, through the selection of materials and strict testing to a demanding final inspection. Far in excess of the standard, guaranteed by international seals of quality and certified by an uncompromising quality assurance system with certification according to DIN EN ISO 9001:2008 and 14001:2004.



Extensive quality features
far in excess of the norm.



Heat output in accordance with
European Standard EN 442

HIGHEST QUALITY HAS FIRST PRIORITY.



Reliable product quality
in accordance with EN 442.




Uncompromising quality
assurance system in accordance
with DIN EN ISO 9001:2008
Responsible environmental
management in accordance with
DIN EN ISO 14001:2004

COLOUR COMBINATIONS



Jive®. Curved tube in all Kermi colours or chrome. Panel in all Kermi colours (except chrome).



Credo-Half®. Cross tubes in all Kermi colours or chrome. Panel in all Kermi colours (except chrome).




Credo-Uno®. Top / bottom panel and radiator in all Kermi colours or chrome.

Apply interesting colour accents or perfectly match the radiator to the interior design.

For Jive®, Credo-Half and Credo-Uno® models, Kermi provides an interesting and elegant colour concept combining two colours or metallics. Attractive accents and perfect integration into the room.


























CHROME COLLECTION



Kermi Chrome Collection.
Brilliance for a discerning ambience.

Elegant chrome finish available for Jive®, Credo-Half®, Icaro®, Credo-Uno®, Basic®-50, Basic®-50 R, B24-S and B24-R turn Kermi design radiators into brilliant highlights in every sophisticated ambience. Straight and classic or dynamically curved. Modern style, with solid brilliance or in stunning contrast to the distinctive panel design. Either connected to the central heating system, with an additional electric heating rod or for all-electric operation.

OVERVIEW OF ACCESSORIES

	Towel hooks	Towel rail	Shelf	Frame holder	Mirror	Hanger	Coat hanger
IDEOS							
CREDO-DUO							
CREDO-HALF							
CREDO							
CREDO-UNO							
BASIC-50 BASIC-50 R*							
B24-R* B24-S							
KAROTHERM							
FEDON							

* Only towel hook possible for Basic-50 R, B24-R.

FRESH COLOURS FOR A WARM WORLD

STANDARD COLOUR



white, RAL 9016

SANITARY COLOURS



pure white, RAL 9010



manhattan



ægean



bahama beige



pergamon



black

SPECIAL EDITIONS



Edition Soft
A luxury satin surface with a silky soft effect.



white, RAL 9016 Soft



pure white, RAL 9010 Soft



manhattan Soft



ægean Soft



bahama beige Soft




pergamon Soft



black Soft



Edition Nature
The glorious hues of nature. Fresh and expressive.



citrus Nature



oliva Nature



corn Nature



purple Nature



crocus Nature



lavendel Nature



Edition Ethno
Requested as never before: The warm, powerful tones of exotic cultures.



solero Ethno



inca Ethno




carmina Ethno



terra Ethno




Edition Metallic
The glamorous retro styling of the '50s. Classically interpreted in brilliant metallic shades.



graphite Metallic



gloss silver Metallic



helios gold Metallic



circsilver Metallic



matt bronze Metallic




classic copper Metallic

In addition to that paint finish available in every RAL CLASSIC colour.

Colour deviations between printed and original colours are unavoidable for technical reasons related to printing.



Edition Chrome



chrome *

* Only for Jive® (curved tube), Credo-Half® (cross tubes), Icaro®, Credo-Uno®, Basic®-50, Basic®-50 R, B24-S, B24-R.

ANTI-MICROBIAL COATING



white, RAL 9016 Hygienic

Kermi Hygienic


The number of illnesses caused by bacteria which have developed a resistance to antibiotics has significantly increased. This has created a greater awareness of hygiene in our personal surroundings. Many of these infections emanate from contaminated surfaces. Many household products now incorporate anti-bacterial properties which have proven to prevent the build up of bacteria. Kermi now brings this revolutionary idea into the radiator sector with an antimicrobial coating: Kermi Hygienic. The antimicrobial coating. It also prevents the build up of antibiotic-resistant bacteria and fungi on the radiator surface. Thus it makes a valuable contribution to a clean and healthy environment.

Available only in combination with white, RAL 9016.




Design in Duet.
Creative thermal design and total showering comfort.

Kermi has reduced creative warmth and smart showering comfort to a common denominator. With a superior shower enclosure design for every requirement. Undiluted shower culture in frameless aesthetic with delicate mist design or classically profiled. Optimally tailored to the Kermi designer radiator programme. And as always with Kermi, with the assurance of top quality, optimal function and durability.



You can learn more about the Kermi shower enclosure programme in the brochure entitled "First Class Showering Comfort".





The "Design Radiators"
price list provides a complete
overview of the Kermi
design radiator programme.

KERMI

Kermi GmbH
Pankofen-Bahnhof 1
94447 Plattling
GERMANY

Tel. +49 9931 501-0
Fax +49 9931 3075

www.kermi.com
info@kermi.com



A company in the

AFG
Arbonia-Forster-Holding AG